

### Suborder Ctenopoda

#### Family Sididae

- Penilia*  
*avirostris* Dana, 1849

### Suborder Onychopoda

#### Family Podonidae

- Evadne*  
*nordmanni* Lovén, 1836  
*spinifera* P.E. Müller, 1867  
*Pleopsis*  
*polyphemoides* (Leuckart, 1859)  
*Podon*  
*intermedius* Lilljeborg, 1853  
*leuckartii* G.O. Sars, 1862  
*Pseudevadne*  
*tergestina* (Claus, 1877)

## Ostracoda

Compiled by David J. Horne, AIsdair Bruce and John E. Whittaker

The Ostracoda list attempts to include representatives of all Ostracoda (orders Podocopida, Mydocopida and Platycopida) found living in marine or brackish waters in the study area. We estimate that the list is now approximately 80% complete and will continue to work to update and complete it. We have attempted to achieve an even geographical coverage; however, the focus of our attention has been on shelf and coastal waters, and we are aware of a considerable body of literature on deep-sea benthonic ostracods from which species lists remain to be abstracted. For the time being we have chosen not to add geographical distribution information to the list, but we are currently developing a GIS application which will enable distribution maps to be produced. A limitation of the list is uncertainty as to whether many of the taxa are actually living today in the areas where they have been recorded, since many have been identified only on the basis of shells (without "soft parts") found in Recent sediments and may therefore be fossil or "subfossil"; we hope to be able to indicate, eventually, which taxa can have been verified as "living".

The following Web site offers further information on Ostracoda:

<http://www.gre.ac.uk/directory/earthsci/ostracod/Index.htm>

### References

- Angel, M., 1999 (personal communication). Unpublished checklist of mydocopid Ostracoda.
- Aranki, J.F., 1987. Marine Lower Pliocene Ostracoda of southern Spain with notes on the Recent fauna. *Bull. geol. Inst. Univ. Uppsala*, NS 13, 1-144.
- Athersuch, J., Horne, D.J. & Whittaker, J.E., 1989. Marine and Brackish Water Ostracods. *Synopses of the British Fauna* (New Series) No. 43, 1-343, pls 1-8.
- Bamber, R., Horne, D.J. & Whittaker, J.E. *A checklist of Ostracoda (marine and nonmarine) from British waters, compiled at the Natural History Museum, London.* (Unpublished).
- Bless, M.J.M., 1973. Note on the ecology of Recent ostracods in the Ria de Arosa (Galicia, N.W. Spain). *Zoologische Mededelingen*, 46 (10), 129-147.
- Bonaduce, G. & Masoli, M., 1968. Benthic marine Ostracoda from Malta. *Pubbl. Staz. zool. Napoli*, 38, 47-56.
- Bonaduce, G. & Masoli, M., 1968. Marine Ostracoda of Tunisia. *Pubbl. Staz. zool. Napoli*, 36, 458-470.
- Bonaduce, G. & Pugliese, N., 1973. Ostracoda from Lybia. *Pubbl. Staz. zool. Napoli*, 39, 129-135.
- Bonaduce, G., Ciampo, G. & Masoli, M., 1976. Distribution of Ostracoda in the Adriatic Sea. *Pubbl. Staz. zool. Napoli*, 40 (vol. for 1975) suppl., 1-304, pls 1-73.
- Elofson, O., 1938. Neue und wenig bekannte Cytheriden von der Schwedischen Westküste. *Ark. Zool.*, 30A (21), 1-22, figs 1-33.
- Elofson, O., 1941. Zur Kenntnis der marinen Ostracoden Schwedens mit besonderer Berücksichtigung des Skageraks. *Zool. Bidr. Upps.*, 19, 217-534, figs 1-52.
- Frenzel, P., 1996. Rezente Faunenverteilung in den Oberflächensedimenten des Greifswalder Boddens (stidliche Ostsee) unter besonderer Berücksichtigung der Ostrakoden (Crustacea). *Senckenbergiana maritima*, 27, 11-31.
- Hartmann, G., 1953a. Les ostracodes de la zone d'algues de l'eulittoral de Banyuls. *Vie Milieu*, 4, 608-612.
- Hartmann, G., 1953b. Ostracodes des eaux souterraines littorales de la Méditerranée et de Majorque. *Vie Milieu*, 4, 238-253.
- Hartmann, G., 1953c. Les ostracodes du sable a *Amphioxus* de Banyuls. *Vie Milieu*, 4, 648-658.
- Klie, W., 1938. Krebstiere oder Crustacea 3: Ostracoda, Muschelkrebse. In: Dahl, F., *Die Tierwelt Deutschlands und der angrenzenden Meeresteile nach ihren Merkmalen und nach ihrer Lebensweise*, 34, 1-230, figs 1-786.
- Komicker, L.S., 1974. Revision of the Cypridinacea of the Gulf of Naples (Ostracoda). *Smithsonian Contr. Zool.*, 178, 1-64.
- Lachanel, A.M., 1989. Écologie des ostracodes du domaine Méditerranéen. Application au Golfe de Gabès (Tunisie Orientale) les variations du niveau marin depuis 30 000 ans. *Docum. Lab. Géol. Lyon*, 108, 1-239, pls 1-7.
- Lerner-Seggev, R., 1964. Preliminary notes on the Ostracoda of the Mediterranean coast of Israel. *Israel Journal of Zoology*, 13, 145-176.
- Maddocks, R.F., 1969. Revision of Recent Bairdiidae (Ostracoda). *United States National Museum Bulletin* 295, 1-126, figs 1-63.
- Maddocks, R.F., 1990. Living and fossil Macrocyprididae (Ostracoda). *University of Kansas Paleontological Contributions*, Monograph 2, 1-404, figs 1-80, pls 1-114.
- Malz, H. & Jellinek, T., 1994. Podocopide Tiefsee-Ostracoden aus Kastengreifer-Proben im östlichen Mittelmeer ("Meteor"-Fahrt 25/leg 1: Ionisches bis Levantinisches Becken). *Senckenbergiana lethaea*, 74 (1/2), 9-32.
- Marinov, T., 1962. On the ostracod fauna of the Western Black Sea coast. *Izv. tsent. nauchnoizsl. Inst. Rib. Varna*, 2, 81-108 (in Russian).
- Neale, J.W. & Howe, H., 1975. The marine Ostracoda of Russian Harbour, Novaya Zemlya and other high latitude faunas. In: Swain, F.M. (ed.), *Biology and palaeobiology of Ostracoda*. *Bull. Am. Paleont.*, 65, 381-431, pls 1-7.
- Neale, J.W., 1959. Normancythere gen. nov. (Pleistocene and Recent) and the division of the ostracod family Trachyleberididae. *Palaentology*, 2 (1), 72-93.
- Puri, H.S., Bonaduce, G. & Malloy, J., 1964. Ecology of the Gulf of Naples. *Pubbl. Staz. zool. Napoli*, 33 suppl., 87-199.
- Reys, S., 1961. Recherches sur la systématique et la distribution des ostracodes de la région de Marseille. *Rec. Trav. St. Mar. End.*, Bull. 22 (31), 53-109.
- Rome, D.R., 1964. Ostracodes des environs de Monaco, leur distribution en profondeur, nature des fonds marins explorés. *Pubbl. Staz. zool. Napoli*, 33 suppl., 200-212.
- Rudjakov, J.A., 1962. Ostracoda of the shallows of the Kandalaksha Bay (White Sea). *Trudy belom. biol. Sta. M.G.U.*, 1, 130-142 (in Russian).
- Sars, G.O., 1922. *An Account of the Crustacea of Norway*, Volume 9 – Ostracoda. Parts 1, 2 *Cypridinidae*, *Conchoecidae*, *Polycopidae* (part), 1-32, pls 1-16. Bergen Museum.
- Sars, G.O., 1923. *An Account of the Crustacea of Norway*, Volume 9 – Ostracoda. Parts 3, 4 *Polycopidae* (concluded), *Cytherellidae*, *Cypridae* (part), 33-72, pls 17-32. Bergen Museum.

- Sars, G.O., 1925a. *An Account of the Crustacea of Norway*, Volume 9 – *Ostracoda*. Parts 9, 10 *Cypridae (concluded)*, *Cytheridae (part)*, 137-176, pls 65-80. Bergen Museum.
- Sars, G.O., 1925b. *An Account of the Crustacea of Norway*, Volume 9 – *Ostracoda*. Parts 11, 12 *Cytheridae (continued)*, 177-208, pls 81-96. Bergen Museum.
- Sars, G.O., 1926. *An Account of the Crustacea of Norway*, Volume 9 – *Ostracoda*. Parts 13, 14 *Cytheridae (continued)*, 209-240, pls 97-112. Bergen Museum.
- Sars, G.O., 1928. *An Account of the Crustacea of Norway*, Volume 9 – *Ostracoda*. Parts 15, 16 *Cytheridae (concluded)*, 241-277, pls 113-119. Bergen Museum.
- Skaumal, U., 1977. *Zur Kenntnis der Ostracoden des felslitorals von Helgoland*. Dissertation, University of Hamburg, 99 + xii pp, 3 pls.
- Uffenorde, H., 1972. Ökologie und jahreszeitliche Verteilung rezenter benthonischer Ostracoden des Limski kanal bei Rovinj (nördliche Adria). *Göttinger Arb. Geol. Paläont.*, 13, 1-121, pls 1-12.
- Vos, A.P.C. de, 1957. Liste annotée des ostracodes marins des environs de Roscoff. *Arch. Zool. Exp. gén.*, 95, 1074, pls 1-29.
- Wagner, C.W., 1957. *Sur les Ostracodes du Quaternaire récent des Pays-Bas et leur utilisation dans l'étude géologique des dépôts Holocènes*. 158 pp, 50 pls, Mouton & Co., The Hague.
- Whatley, R. & Eynon, M.P., 1996. Four new Arctic deepwater ostracod species from East Greenland. In: Keen, M.C. (ed.), *Proceedings of 2<sup>nd</sup> European Ostracodologists' Meeting, Glasgow 1993*, 195-200. British Micropalaeontological Society, London.
- Yassini, I., 1979. The littoral system ostracodes from the Bay of Bou-Ismaïl, Algiers, Algeria. *Revta Esp. Micropal.*, 11 (3), 353-416.
- Subclass Ostracoda**
- Order Myodocopida**
- Family Cyliindroleberidae**
- Parasterope*  
*muelleri* (Skogsberg, 1920)
- Asterope*  
*abyssicola* Sars, 1870  
*mariae* (Baird, 1850)  
*muelleri* Skogsberg, 1920  
*teres* (Norman, 1861)
- Cyloleberis*  
*lobiancoi* (G.W. Mueller, 1894)
- Parasterope*  
*aberrata* (Skogsberg, 1920)
- Polyleberis*  
*mackenziei* Kornicker, 1974
- Prionotoleberis*  
*gyion* Kornicker, 1974
- Synasterope*  
*norvegica* (Sars, 1869)
- Family Cypridinidae**
- Azygocypridina*  
*imperialis* (Stebbing, 1901)
- Cypridina (Vargula)*  
*norvegica* (Baird, 1860)
- Cypridina*  
*megalops* Sars, 1872
- Doloria*  
*acorensis* (Granata & Caporiacco, 1949)  
*sarsi* Kornicker, 1987
- Gigantocypris*  
*danae* Poulsen, 1962  
*dracontovalis* Cannon, 1940  
*muelleri* Skogsberg, 1920
- Macrocypridina*  
*castanea* (Brady, 1897)
- Philomedes (Philomedes)*  
*lilljeborgi* (Sars, 1866)
- Philomedes*  
*aspera* G.W. Mueller, 1894
- brenda* (Baird, 1850)  
*globosus* (Lilljeborg, 1853)  
*interpuncta* (Baird, 1850)  
*levis* G.W. Mueller, 1894  
*lilljeborgi* (Sars, 1866)  
*macandrei* (Baird, 1850)
- Pseudophilomedes*  
*angulata* G.W. Mueller, 1894  
*foveolata* G.W. Mueller, 1894
- Skogsbergia*  
*costai* Kornicker, 1974  
*megalops* (Sars, 1872)  
*squamosa* (G.W. Mueller, 1894)
- Vargula*  
*mediterranea* (Costa, 1845)  
*norvegica* (Baird, 1860)
- Family Halocyprididae**
- Alacia*  
*alata* subsp. *alata* (G.W. Mueller, 1906)  
*leptothrix* (G.W. Mueller, 1906)  
*valdiviae* (G.W. Mueller, 1906)
- Archiconchoecia*  
*aff. cucullata* (Brady, 1902)  
*bifurcata* Deevey, 1978  
*bimucronata* Deevey, 1978  
*bispicula* Deevey, 1978  
*cucullata* (Brady, 1902)  
*cuneata* G.W. Mueller, 1908  
*fabiformis* Deevey, 1978  
*falcata* Deevey, 1978  
*gastrodes* Deevey, 1978  
*longiseta* Deevey, 1978  
*pilosa* Deevey, 1978  
*simula* Deevey, 1982  
*striata* G.W. Mueller, 1894  
*ventricosa* G.W. Mueller, 1906  
*versicula* Deevey, 1978
- Bathyconchoecia*  
*arctica* Angel, 1976  
*caini* Ellis, 1989  
*darcythompsoni* (Scott, 1909)  
*deeveyae* Kornicker, 1970  
*diacantha* Deevey, 1975  
*foveolata* Deevey, 1968  
*galerita* Deevey, 1968  
*hardingae* Deevey, 1975  
*kornickeri* Deevey, 1968  
*laqueata* Deevey, 1968  
*latrostris* Poulsen, 1972  
*longispinata* Ellis, 1987  
*nodosa* Poulsen, 1972  
*paulula* Deevey, 1968  
*sagittarius* Deevey, 1968  
*septemspinosa* Angel, 1970  
*subrufa* Angel, 1970
- Boroecia*  
*borealis* (Sars, 1866)  
*maxima* (Brady & Norman, 1896)
- Conchoecetta*  
*acuminata* Claus, 1890  
*giesbrechti* (G.W. Mueller, 1906)
- Conchoecia*  
*hyalophyllum* Claus, 1890  
*lophura* G.W. Mueller, 1906  
*macrocheira* G.W. Mueller, 1906  
*magna* Claus, 1874  
*parvidentata* G.W. Mueller 906  
*subarcuata* Claus, 1890
- Conchoecilla*  
*daphnoides* subsp. *daphnoides* Claus, 1890  
*daphnoides* subsp. *minor* (G.W. Mueller, 1906)
- Conchoecissa*  
*ametra* (G.W. Mueller, 1906)  
*imbricata* (Brady, 1880)  
*plinthina* (G.W. Mueller, 1906)

- symmetrica* (G.W. Mueller, 1906)
- Discoconchoecia*  
*discophora* subsp. *discophora* (G.W. Mueller, 1906)  
*elegans* (Sars, 1866)
- Discoconchoecia*  
*elegans* (Sars, 1866)
- Euconchoecia*  
*aculeata* (Scott, 1894)  
*chierchiai* G.W. Mueller, 1890
- Felia*  
*bicornis* (G.W. Mueller, 1906)  
*cornuta* (G.W. Mueller, 1906)
- Gaussia*  
*edentata* (G.W. Mueller, 1906)  
*gaussi* (G.W. Mueller, 1908)  
*incisa* (G.W. Mueller, 1906)  
*subedentata* (Gooday, 1976)
- Guassia*  
*gaussi* (G.W. Mueller, 1908)
- Halocypria*  
*globosa* Claus, 1874
- Halocypris*  
*inflata* Dana, 1849  
*pelagica* Claus, 1890
- Loricoecia*  
*acutimarginata* Chavtur, 1977  
*ctenophora* (G.W. Mueller, 1906)  
*loricata* (Claus, 1894)
- Macroconchoecia*  
*macroreticulata* (Ellis, 1984)  
*reticulata* (G.W. Mueller, 1906)  
*spinireticulata* (Ellis, 1984)
- Metaconchoecia*  
*acuta* (Gooday, 1981)  
*arcuata* (Deevey, 1978)  
*discoveryi* (Gooday, 1981)  
*fowleri* (Gooday, 1981)  
*glandulosa* (G.W. Mueller, 1906)  
*inflata* (Gooday, 1981)  
*kyrtophora* (G.W. Mueller, 1906)  
*macromma* (G.W. Mueller, 1906)  
*nasotuberculata* (G.W. Mueller, 1906)  
*obtusa* (Gooday, 1981)  
*pusilla* (G.W. Mueller, 1906)  
*rotundata* (G.W. Mueller, 1906)  
*skogsbergi* (Iles, 1953)  
*subinflata* (Gooday, 1981)  
*teretivalvata* (Iles, 1953)  
*wolferi* (Gooday, 1981)
- Metaonchoecia*  
*fowleri* (Gooday, 1981)
- Mikroconchoecia*  
*acuticosta* (G.W. Mueller, 1906)  
*curta* (Lubbock, 1860)  
*curta* (Lubbock, 1860)  
*echinulata* Claus, 1891  
*stigmatica* (G.W. Mueller, 1906)
- Mollicia*  
*eltaninae* (Deevey, 1978)  
*kampta* (G.W. Mueller, 1906)  
*mollis* (G.W. Mueller, 1906)  
*tyloda* (G.W. Mueller, 1906)
- Obtusoechia*  
*obtusata* (Sars, 1866)
- Orthoconchoecia*  
*atlantica* (Lubbock, 1856)  
*bispinosa* (Claus, 1890)  
*haddoni* (Brady & Norman, 1896)  
*secernenda* (Vavra, 1906)
- Paraconchoecia*  
*aequiseta* (G.W. Mueller, 1906)  
*allotherium* (G.W. Mueller, 1906)  
*cophopyga* (G.W. Mueller, 1906)  
*dasyophthalma* (G.W. Mueller, 1906)  
*dentata* (G.W. Mueller, 1906)
- echinata* (G.W. Mueller, 1906)  
*hirsuta* (G.W. Mueller, 1906)  
*inermis* Claus, 1890  
*mamillata* (G.W. Mueller, 1906)  
*mesadenia* (Ellis, 1985)  
*nanomamillata* (Deevey & Brooks, 1980)  
*oblonga* Claus, 1890  
*spinifera* Claus, 1890  
*spinifera* Claus, 1891  
*vitjazi* (Rudjakov, 1962)
- Paramollicia*  
*dichotoma* (G.W. Mueller, 1906)  
*major* (G.W. Mueller, 1906)  
*plactolycos* (G.W. Mueller, 1906)  
*rhynchena* (G.W. Mueller, 1906)
- Porroecia* (*Spinoecia*)  
*hystrix* (Angel & Ellis, 1981)  
*hystrix* (Angel & Ellis, 1987)
- Porroecia*  
*parthenoda* (G.W. Mueller, 1906)  
*porrecta* subsp. *adriatica* (Gooday & Angel, 1977)  
*porrecta* subsp. *porrecta* (Claus, 1890)  
*pseudoparthenoda* (Angel, 1972)  
*spirostris* (Claus, 1874)
- Proceroecia*  
*brachyaskos* (G.W. Mueller, 1906)  
*brachyaskos* G.W. Mueller, 1906  
*convexa* (Deevey, 1977)  
*macroprocera* (Angel, 1971)  
*microprocera* (Angel, 1971)  
*procera* (G.W. Mueller, 1894)
- Pseudoconchoecia*  
*concentrica* (G.W. Mueller, 1906)
- Family Philomedidae**
- Angulorostrum*  
*segonzaci* Kornicker, 1981
- Euphilomedes*  
*asper* G.W. Mueller, 1894  
*interpuncta* (Baird, 1850)  
*sinister* Kornicker, 1974
- Streptoleberis*  
*rectirostris* Brady & Norman, 1896
- Family Polycopidae**
- Metapolycope*  
*compressa* (Brady & Robertson, 1869)
- Polycope*  
*arenicola* Hartmann, 1954  
*areolata* Sars, 1923  
*clathrata* Sars, 1923  
*demulderi* Sissingh, 1972  
*dentata* Brady, 1868  
*dimorpha* Hartmann, 1954  
*dispar* G.W. Mueller, 1894  
*fragilis* G.W. Mueller, 1894  
*frequens* G.W. Mueller, 1894  
*longipes* Hartmann, 1954  
*maculata* G.W. Mueller, 1894  
*orbicularis* Sars, 1866  
*parareticulata* Bonaduce, Ciampo & Masoli, 1976  
*punctata* Sars, 1869  
*pustulata* Sars, 1890  
*reticulata* G.W. Mueller, 1894  
*rostrata* (G.W. Mueller, 1894)  
*striata* G.W. Mueller, 1894  
*sublaevis* Sars, 1923  
*teneriffa* Hartmann, 1959  
*tholiformis* Bonaduce, Ciampo & Masoli, 1976  
*truncatula* Bonaduce, Ciampo & Masoli, 1976  
*tuberosa* G.W. Mueller, 1894  
*vasfiensis* Sissingh, 1972
- Polycopsis*  
*quadridentata* Bonaduce, Ciampo & Masoli, 1976  
*serrata* G.W. Mueller, 1894
- Rutiderma*  
*compressa* Brady & Norman

**Family Sarsiellidae**

- Eusarsiella*  
*zostericola* (Cushman, 1906)  
*Sarsiella*  
*capsula* Norman, 1869  
*levis* G.W. Mueller, 1894  
*neapolis* Kornicker, 1974

**Order Platycopida****Family Cytherellidae**

- Cytherella*  
*abyssorum* Sars, 1866  
*alvearium* Bonaduce, Ciampo & Masoli, 1976  
*circumpunctata* Ciampo, 1976  
*pori* Lerner-Seggev, 1964  
*serrulata* Brady & Norman, 1896  
*vandenboldi* Sissingh, 1972  
*vulgata* Ruggieri, 1962  
*Cytherelloidea*  
*beckmanni* Barbeito-Gonzalez, 1971  
*sordida* (G.W. Mueller, 1894)

**Order Podocopida****Superfamily Bairdioidea****Family Bairdiidae**

- Neonesidea*  
*corpulenta* (G.W. Mueller, 1894)  
*decipiens* (G.W. Mueller, 1894)  
*formosa* (Brady, 1868)  
*frequens* (G.W. Mueller, 1894)  
*incognita* (Lerner-Seggev, 1964)  
*inflata* (Norman, 1862)  
*longevaginata* (G.W. Mueller, 1894)  
*mediterranea* (G.W. Mueller, 1894)  
*minor* (G.W. Mueller, 1894)  
*obscura* (G.W. Mueller, 1894)  
*roquebrunensis* (Rome, 1942)  
*Neonesidea?*  
*conformis* (Terquem, 1878)  
*Paranesidea?*  
*reticulata* (G.W. Mueller, 1894)  
*Triebelina*  
*rarpila* (G.W. Mueller, 1894)

**Family Bythocyprididae**

- Bythocypris*  
*bosquetiana* (Brady, 1866)  
*obtusata* (Sars, 1866)

**Superfamily Cypridoidea****Family Candonidae**

- Aglaiocypris*  
*complanata* (Brady & Robertson, 1869)  
*rara* (G.W. Mueller, 1894)  
*Paracypris*  
*polita* Sars, 1866

**Family Bythocytheridae**

- Bathynocythere*  
*styx* Malz & Jellinek, 1994  
*Bythoceratina*  
*reticulata* Bonaduce, Ciampo & Masoli, 1976  
*Bythocythere*  
*bradleyi* Athersuch, Horne & Whittaker, 1983  
*bradyi* Sars, 1926  
*constricta* Sars, 1866  
*dromedaria* Sars, 1866  
*insignis* Sars, 1869  
*intermedia* Elofson, 1938  
*minima* Bonaduce, Ciampo & Masoli, 1976  
*robinsoni* Athersuch, Horne & Whittaker, 1983  
*turgida* Sars, 1866  
*zelandica* Athersuch, Horne & Whittaker, 1983  
*Dopseuocythere*  
*armata* (Bonaduce *et al.*, 1980)  
*kraspedon* Malz & Jellinek, 1994  
*mediterranea* (Bonaduce *et al.*, 1980)

*Jonesia*

- acuminata* (Sars, 1866)  
*Monoceratina*  
*mediterranea* Sissingh, 1971  
*Pseudocythere*  
*britannica* Horne, 1986  
*caudata* Sars, 1866  
*Roastrocythere*  
*hastata* (Bonaduce *et al.*, 1980)  
*Sclerochilus*  
*abbreviatus* Brady & Robertson, 1869  
*aequus* G.W. Mueller, 1894  
*bradyi* Rudjakov, 1962  
*contortus* (Norman, 1861)  
*gewemuelleri* Dubowsky, 1939  
*gewemuelleri* subsp. *dubowskyi* Marinov, 1962  
*hicksi* Athersuch & Horne, 1987  
*levis* G.W. Mueller, 1894  
*rudjakovi* Athersuch & Horne, 1987  
*schornikovi* Athersuch & Horne, 1987  
*truncatus* (Malcomson, 1886)  
*whatleyi* Athersuch & Horne, 1987

**Family Cuneocytheridae**

- Cuneocythere*  
*semipunctata* (Brady, 1868)

**Family Cushmaniidae**

- Pontocythere*  
*elongata* (Brady, 1868)  
*rubra* (G.W. Mueller, 1894)  
*turbida* (G.W. Mueller, 1894)

**Family Cytherettidae**

- Cytheretta*  
*adriatica* Ruggieri, 1952  
*judaea* (Brady, 1868)  
*rubra* G.W. Mueller, 1894  
*subradiosa* (Roemer, 1838)  
*Loculicytheretta*  
*pavonia* (Brady, 1866)

**Family Cytheridae**

- Cobancythere*  
*hartmanni* G.W. Mueller, 1894  
*Cythere*  
*lutea* O.F. Mueller, 1785  
*Cythereis*  
*amnicola* (Sars, 1887)  
*polygonata* Rome, 1942  
*Cytherideis*  
*foveolata* Brady, 1870  
*Eucytherura*  
*gibbera* G.W. Mueller, 1894  
*Palmenella*  
*limicola* (Norman, 1865)  
*Paracytheridea*  
*bovettensis* (Seguenza, 1880)

**Family Cytherideidae**

- Cyprideis*  
*torosa* (Jones, 1850)  
*Cytheridea*  
*angustata* (Baird, 1850)  
*muelleri* Muenster, 1938  
*neapolitana* Kollman, 1960  
*Heterocyprideis*  
*fascis* (Brady & Norman, 1889)  
*sorbyana* (Jones, 1856)  
*Paracyprideis*  
*fennica* (Hirschmann, 1909)  
*Sarsicytheridea*  
*bradleyi* (Norman, 1865)  
*macrolaminata* (Elofson, 1939)  
*punctillata* (Brady, 1865)

**Family Cytheromatidae**

- Cytheroma*  
*karadagiensis* Dubowsky

*latiantennata* Elofson, 1938  
*variabilis* G.W. Mueller, 1894

**Family Cytheruridae**

*Cytheropteron*

*alatum* Sars, 1866  
*angulatum* Brady & Robertson, 1872  
*arcticum* Neale & Howe, 1973  
*crassipinnatum* Brady & Norman, 1889  
*depressum* (Brady & Norman, 1889)  
*dorsocostatum* Whatley & Masson, 1980  
*dromedaria* (Sars)  
*garganicum* Bonaduce, Ciampo & Masoli, 1976  
*groenlandicum* Whatley & Eynon, 1996  
*hadriaticum* Bonaduce, Ciampo & Masoli, 1976  
*hamatum* Sars, 1869  
*inflatum* Brady, Crosskey & Robertson, 1874  
*inflatum* sensu Sars  
*inornatum* Brady & Robertson, 1872  
*latissimum* (Norman, 1865)  
*latum* G.W. Mueller, 1894  
*monoceros* Bonaduce, Ciampo & Masoli, 1976  
*nodosoalatum* Neale & Howe, 1973  
*nodosum* Brady, 1868  
*paralattissimum* Swain, 1963  
*pseudoinflatum* Whatley & Eynon, 1996  
*punctatum* Brady, 1868  
*pyramidale* (Brady, 1868)  
*rarum* G.W. Mueller, 1894  
*rotundatum* (G.W. Mueller, 1894)  
*ruggierii* Pucci, 1955  
*scoresbyi* Whatley & Eynon, 1996  
*subcircinatum* Sars, 1866  
*sulcatum* Bonaduce, Ciampo & Masoli, 1976  
*testudo* Sars, 1870  
*venustum* Bonaduce, Ciampo & Masoli, 1976  
*vespertilio* (Reuss, 1850)  
*zinzulusae* Bonaduce, Ciampo & Masoli, 1976

*Cytheropteron?*

*infelix* Bonaduce, Ciampo & Masoli, 1976

*Cytherura*

*areolata* Reys, 1961  
*atra* Sars, 1866  
*bidens* Klie, 1929  
*brevistulosa* Klie, 1936  
*cochlearis* Klie, 1929  
*gibba* (O.F. Mueller, 1785)  
*inconspicua* Klie, 1934  
*muelleri* Puri, 1963  
*nasuta* Klie, 1934

*Eucytherura*

*alata* G.W. Mueller, 1894  
*ambibola* Barbeito-Gonzalez, 1971  
*angulata* G.W. Mueller, 1894  
*bulgarica* Klie  
*complexa* (Brady, 1866)  
*delineata* Whatley & Eynon, 1996  
*mistrettai* Sissingh, 1972

*Hemicytherura*

*cellulosa* (Norman, 1865)  
*clathrata* (Sars, 1866)  
*defiorei* Ruggieri, 1953  
*gracilicosta* Ruggieri, 1953  
*hoskini* Horne, 1981  
*videns* (G.W. Mueller, 1894)

*Kangarina*

*abyssicola* (G.W. Mueller, 1894)  
*septentrionalis* Neale, 1972

*Microcytherura*

*angulosa* (Seguenza, 1880)  
*fulva* (Brady & Robertson, 1874)  
*inflexa* G.W. Mueller, 1894  
*nigrescens* G.W. Mueller, 1894

*Pedicythere*

*mirabilis* Sissingh, 1975  
*phryne* Bonaduce, Ciampo & Masoli, 1976

*Pedicythere?*

*tessellata* Bonaduce, Ciampo & Masoli, 1976

*Pseudocytherura*

*calcarata* (Seguenza, 1880)

*Semicytherura*

*abdita* Bonaduce, Ciampo & Masoli, 1976  
*acuminata* (G.W. Mueller, 1894)  
*acuta* (G.W. Mueller, 1912)  
*acuticostata* (Sars, 1866)  
*acuticostata* subsp. *ventricosa* (G.W. Mueller, 1894)  
*aenariensis* Bonaduce, Ciampo & Masoli, 1976  
*affinis* (Sars, 1866)  
*alifera* Ruggieri, 1959  
*amorpha* Bonaduce, Ciampo & Masoli, 1976  
*angulata* (Brady, 1868)  
*brachyptera* (Ruggieri, 1952)  
*concentrica* (Brady, Crosskey & Robertson, 1874)  
*cornuta* (Brady, 1868)  
*costata* (G.W. Mueller, 1894)  
*cribiformis* (G.W. Mueller, 1894)  
*diafora* Barbeito-Gonzalez, 1971  
*dispar* (G.W. Mueller, 1894)  
*heinzei* (Puri, 1963)  
*incongruens* (G.W. Mueller, 1894)  
*inversa* (Seguenza, 1880)  
*kaloderma* Bonaduce & Pugliese, 1975  
*mediterranea* (G.W. Mueller, 1894)  
*nigrescens* (Baird, 1838)  
*occulta* Bonaduce, Ciampo & Masoli, 1976  
*paradoxa* (G.W. Mueller, 1894)  
*pontica* (Marinov, 1962)  
*producta* (Brady, 1868)  
*psila* Barbeito-Gonzalez, 1971  
*punctata* (G.W. Mueller, 1894)  
*quadratovaltilis* (Hartmann, 1953)  
*quadridentata* (Hartmann, 1953)  
*rara* (G.W. Mueller, 1894)  
*rarecostata* Bonaduce, Ciampo & Masoli, 1976  
*reticulata* (G.W. Mueller, 1894)  
*robusta* Bonaduce, Ciampo & Masoli, 1976  
*ruggierii* (Pucci, 1956)  
*sella* (Sars, 1866)  
*similis* (Sars, 1866)  
*simplex* (Brady & Norman, 1889)  
*stilifera* Bonaduce, Ciampo & Masoli, 1976  
*striata* (Sars, 1866)  
*sulcata* (G.W. Mueller, 1894)  
*tela* Horne & Whittaker, 1980  
*tergestina* Masoli, 1968  
*trachina* Bonaduce, Ciampo & Masoli, 1976  
*undata* (Sars, 1866)  
*ventricosa* (G.W. Mueller, 1894)

*Tetracytherura*

*angulosa* (Seguenza, 1880)

**Family Eucytheridae**

*Eucythere*

*prava* Brady & Robertson, 1869  
*anglica* Brady, 1868  
*argus* (Sars, 1866)  
*curta* Ruggieri, 1975  
*declivis* (Norman, 1865)  
*prava* Brady & Robertson, 1869  
*pubera* Bonaduce, Ciampo & Masoli, 1976

**Family Hemicytheridae**

*Aurila*

*arborescens* (Brady, 1865)  
*convexa* (Baird, 1850)  
*cymbaeformis* (Seguenza, 1883)  
*glyptica* Barbeito-Gonzalez, 1971  
*interpretis* Uliczny, 1969  
*prasina* Barbeito-Gonzalez, 1971  
*punctata* (Muenster, 1830)  
*speyeri* (Brady, 1868)  
*woutersi* Horne, 1986  
*Baffinicythere*

- howei* Hazel, 1967
- Caudites*  
*calceolatus* (Costa, 1853)
- Elofsonella*  
*concinna* (Jones, 1857)
- Finmarchinella* (*Barentsovia*)  
*barenzovens* (Mandelstam, 1957)  
*angulata* (Sars, 1866)  
*logani* (Brady & Crosskey, 1871)
- Finmarchinella*  
*angulata* (Sars, 1866)  
*finmarchica* (Sars, 1866)
- Hemicythere*  
*emarginata* (Sars, 1866)  
*rubida* (Brady, 1868)  
*villosa* (Sars, 1866)
- Heterocythereis*  
*albomaculata* (Baird, 1838)
- Muellerina*  
*abyssicola* (Sars, 1866)
- Normanic ythere*  
*leioderma* (Norman, 1869)
- Tenedocythere*  
*prava* (Baird, 1850)
- Thaerocythere*  
*crenulata* (Sars, 1866)
- Urocythereis*  
*britannica* Athersuch, 1977  
*favosa* (Roemer, 1838)  
*flexicauda* Bonaduce, Ciampo & Masoli, 1976  
*margaritifera* (G.W. Mueller, 1894)  
*margaritifera* subsp. *alba* Uliczny, 1969
- Family Krithidae**
- Krithe*  
*bartonensis* subsp. *levantina* Lerner-Seggev, 1964  
*keyi* Breman, 1978  
*papillosa* (Bosquet, 1852)  
*praetexta* (Sars, 1866)  
*producta* Brady, 1880  
*reniformis* (Brady, 1868)  
*similis* (G.W. Mueller, 1894)
- Parakrithe*  
*dimorpha* Bonaduce, Ciampo & Masoli, 1976
- Pseudosammocythere*  
*similis* (G.W. Mueller, 1894)
- Family Leptocytheridae**
- Callistocythere*  
*adriatica* Masoli, 1968  
*badia* (Norman, 1862)  
*craterigera* (Rome, 1942)  
*crispata* (Brady, 1868)  
*crucifera* (Hartmann, 1953)  
*diffusa* (G.W. Mueller, 1894)  
*discrepans* (G.W. Mueller, 1894)  
*flavidofusca* (Ruggieri, 1950)  
*folliculosa* Bonaduce, Ciampo & Masoli, 1976  
*foveata* (Hartmann, 1953)  
*gilva* Bonaduce, Ciampo & Masoli, 1976  
*intricatoides* Ruggieri, 1953  
*littoralis* (G.W. Mueller, 1894)  
*lobiancoi* (G.W. Mueller, 1894)  
*mediterranea* (G.W. Mueller, 1894)  
*murrayi* Whittaker, 1978  
*pallida* (G.W. Mueller, 1894)  
*praecineta* Ciampo, 1976  
*rastrifera* (Ruggieri, 1953)  
*taeniata* (Rome, 1942)  
*vexata* Bonaduce, Ciampo & Masoli, 1976
- Cluthia*  
*cluthae* (Brady, Crosskey & Robertson, 1874)  
*keyi* Neale, 1975
- Leptocythere*  
*bacescoi* (Rome, 1942)  
*baltica* Klie, 1929  
*bituberculata* Bonaduce, Ciampo & Masoli, 1976
- castanea* (Sars, 1866)  
*ciliata* Hartmann, 1957  
*craterigera* (Rome, 1942)  
*crepidula* Ruggieri, 1950  
*crucifera* Hartmann, 1953  
*diffusa* (G.W. Mueller, 1894)  
*fabaeformis* (G.W. Mueller, 1894)  
*lacertosa* (Hirschmann, 1912)  
*lagunae* Hartmann, 1958  
*levis* (G.W. Mueller, 1894)  
*macallana* (Brady & Robertson, 1869)  
*macella* Ruggieri, 1975  
*mediterranea* (G.W. Mueller, 1894)  
*micra* (Rome, 1942)  
*multipunctata* (Seguenza, 1942)  
*pallida* (G.W. Mueller, 1894)  
*pellucida* (Baird, 1850)  
*pellucida?* (Baird, 1850)  
*porcellanea* (Brady, 1869)  
*psammophila* Guillaume, 1976  
*ramosa* (Rome, 1942)  
*rara* (G.W. Mueller, 1894)  
*tenera* (Brady, 1868)
- Family Loxoconchidae**
- Cytheromorpha*  
*elongata* Hartmann, 1953  
*fusca* (Brady, 1869)  
*nana* Bonaduce, Ciampo & Masoli, 1976
- Elofsonia*  
*baltica* (Hirschmann, 1909)  
*pusilla* (Brady & Robertson, 1870)
- Hirschmannia*  
*viridis* (O.F. Mueller, 1785)
- Loxocauda*  
*decepiens* (G.W. Mueller, 1894)
- Loxoconcha*  
*agilis* Ruggieri, 1967  
*alata* Brady, 1868  
*avellana* (Brady, 1866)  
*bairdi* G.W. Mueller, 1894  
*bonaducei* Ciampo, 1971  
*concentrica* Bonaduce, Ciampo & Masoli, 1976  
*dimorpha* Hartmann, 1959  
*elliptica* Brady, 1868  
*exagona* Bonaduce, Ciampo & Masoli, 1976  
*fragilis* Sars, 1866  
*geometrica* Bonaduce, Ciampo & Masoli, 1976  
*gibberosa* Terquem, 1878  
*globosa* Schornikov, 1965  
*helgolandica* Klie, 1929  
*levis* G.W. Mueller, 1894  
*malcomsoni* Home & Robinson, 1985  
*mediterranea* G.W. Mueller, 1894  
*minima* G.W. Mueller, 1894  
*ovulata* (Costa, 1853)  
*parallela* G.W. Mueller, 1894  
*pontica* Klie, 1937  
*rhomboidea* (Fischer, 1855)  
*rubritincta* Ruggieri, 1964  
*stellifera* G.W. Mueller, 1894  
*subrugosa* Ruggieri, 1976
- Loxoconchidea*  
*minima* Bonaduce, Ciampo & Masoli, 1976
- Microloxoconcha*  
*compressa* Hartmann, 1953
- Nannocythere*  
*pavo* (Malcomson, 1886)
- Palmoconcha*  
*guttata* (Norman, 1865)  
*laevata* (Norman, 1865)  
*turbida* (G.W. Mueller, 1894)
- Phlyctocythere*  
*pellucida* (G.W. Mueller, 1894)
- Pseudoloxoconcha*  
*minima* G.W. Mueller, 1894

*Roundstonia*

- globulifera* (Brady, 1868)
- macchesneyi* (Brady & Crosskey, 1871)
- robertsoni* (Brady, 1868)

*Sagmatocythere*

- littoralis* (G.W. Mueller, 1894)
- multifora* (Norman, 1865)
- napoliensis* (Puri, 1963)
- versicolor* (G.W. Mueller, 1894)

*Tuberoloxoconcha*

- atlantica* Horne, 1989
- nana* (Marinov, 1962)
- tuberosa* (Hartmann, 1953)

**Family Microcytheridae**

*Microcythere*

- dentata* (G.W. Mueller, 1894)
- depressa* (G.W. Mueller, 1894)
- gibba* G.W. Mueller, 1894
- helgolandica* Klie, 1936
- hians* G.W. Mueller, 1894
- inflexa* G.W. Mueller, 1894
- levis* G.W. Mueller, 1894
- longiantennata* Marinov, 1962
- minuta* Klie, 1936
- nana* G.W. Mueller, 1894
- navicula* (Norman, 1868)
- obliqua* G.W. Mueller, 1894
- parallela* G.W. Mueller, 1894
- parva* Klie, 1936
- rara* G.W. Mueller, 1894
- subterranea* Hartmann, 1953
- varnensis* Marinov, 1962
- vitrea* Bonaduce, Ciampo & Masoli, 1976

**Family Neocytherideidae**

*Neocytherideis*

- complicata* (Ruggieri, 1953)
- crenulata* (Klie, 1929)
- fasciata* (Brady & Robertson, 1874)
- foveolata* (Brady, 1870)
- subspiralis* (Brady, Crosskey & Robertson, 1874)
- subulata* (Brady, 1868)

*Sahnicythere*

- retroflexa* (Klie, 1936)

**Family Paracytherideidae**

*Paracytheridea*

- cuneiformis* (Brady, 1868)
- depressa* G.W. Mueller, 1894
- norvegica* Neale, 1972

*Tuberculoocythere*

- batrachoides* Colango & Pasini, 1980

**Family Paradoxostomatidae**

*Acetabulastoma*

- hyperboreum*(?) (Scott, 1899)

*Cytherois*

- arenicola* Klie, 1929
- fischeri* (Sars, 1866)
- frequens* G.W. Mueller, 1894
- incongruens* G.W. Mueller, 1894
- pusilla* Sars, 1928
- stephanidesi* Klie, 1938
- succinea* G.W. Mueller, 1894
- triangularis* Bonaduce, Masoli, Minichelli & Pugliese, 1979
- vitrea* (Sars, 1866)

*Paracythere*

- minima* G.W. Mueller, 1894

*Paracytherois*

- acuminata* G.W. Mueller, 1894
- arcuata* (Brady, 1868)
- flexuosa* (Brady, 1867)
- mediterranea* Bonaduce, Ciampo & Masoli, 1976
- oblonga* G.W. Mueller, 1894
- producta* (Brady & Norman, 1889)
- rara* G.W. Mueller, 1894

- striata* G.W. Mueller, 1894
- sulcata* G.W. Mueller, 1894
- tenera* (Brady, Crosskey & Robertson, 1874)

*Paradoxostoma*

- abbreviatum* Sars, 1866
- acuminatum* G.W. Mueller, 1894
- amygdaloides* (Brady, 1870)
- anglorum* Horne & Whittaker, 1985
- angustum* G.W. Mueller, 1894
- arcticum* Elofson, 1941
- atrum* G.W. Mueller, 1894
- bradyi* Sars, 1928
- breve* G.W. Mueller, 1894
- caecum* G.W. Mueller, 1894
- chamberlaini* Rome, 1939
- curtum* Hartmann, 1959
- cylindricum* G.W. Mueller, 1894
- ensiforme* Brady, 1868
- fleetense* Horne & Whittaker, 1985
- hibernicum* Brady, 1868
- hodgii* Brady, 1868
- incongruens* G.W. Mueller, 1894
- insigne* Hartmann, 1959
- intermedium* G.W. Mueller, 1894
- maculatum* G.W. Mueller, 1894
- mediterraneum* G.W. Mueller, 1894
- nealei* Horne & Whittaker, 1985
- normani* Brady, 1868
- obliquum* Sars, 1866
- ornata* Hartmann, 1953
- parallellum* G.W. Mueller, 1894
- planum* G.W. Mueller, 1894
- ponticum* Klie, 1942
- porlockense* Horne & Whittaker, 1985
- pulchellum* Sars, 1866
- rarum* G.W. Mueller, 1894
- robinhoodi* Horne & Whittaker, 1985
- rostratum*(?) Sars
- rubrum* G.W. Mueller, 1894
- sarniense* Brady, 1868
- simile* G.W. Mueller, 1894
- striatum* G.W. Mueller, 1894
- taeniatum* G.W. Mueller, 1894
- tenuissimum* (Norman, 1869)
- trieri* Horne & Whittaker, 1985
- triste* G.W. Mueller, 1894
- variabile* (Baird, 1835)
- versicolor* G.W. Mueller, 1894

*Redekea*

- perpusilla* de Vos, 1953

**Family Trachyleberididae**

*Acanthocythereis*

- ascolii* (Puri, 1963)
- dunelmensis* (Norman, 1865)
- hystrix* (Reuss, 1850)
- ornata* (G.W. Mueller, 1894)

*Basslerites*

- berchoni* (Brady, 1869)
- teres* (Brady, 1869)

*Bosquetina*

- carinella* (Reuss, 1957)
- dentata* (G.W. Mueller, 1894)
- pectinata* (Bosquet, 1852)

*Buntonia* (*Rectobuntonia*)

- subulata* Ruggieri, 1954

*Buntonia*

- dertonensis* (Ruggieri, 1954)
- giesbrechti* (G.W. Mueller, 1894)
- sublatissima* (Neviani, 1906)
- textilis* Bonaduce, Ciampo & Masoli, 1976

*Carinocythereis*

- carinata* (Roemer, 1838)
- whitei* (Baird, 1850)

*Celtia*

- quadridentata* (Baird, 1850)

*Costa*  
*batei* (Brady, 1866)  
*edwardsii* (Roemer, 1838)  
*hamata* (G.W. Mueller, 1894)  
*runcinata* (Baird, 1850)  
*Echinocythereis*  
*echinata* (Sars, 1866)  
*laticarina* (Brady, 1868)  
*scabra* (von Muenster, 1830)  
*Falsocythere*  
*maccagnoi* (Ciampo, 1971)  
*Henryhowella*  
*sarsi* (G.W. Mueller, 1894)  
*Hiltermannicythere*  
*emaciata* (Brady, 1867)  
*rubra* (G.W. Mueller, 1894)  
*rubra* subsp. *pontica* Dubowsky  
*sphaerulolineata* (Jones, 1856)  
*turbida* (G.W. Mueller, 1894)  
*Occultocythereis*  
*dohrni* (Puri, 1963)  
*Pterygocythereis*  
*ceratoptera* (Bosquet, 1852)  
*jonesii* (Baird, 1850)  
*mucronata* (Sars, 1866)  
*Rectobuntonia*  
*miranda* Bonaduce, Ciampo & Masoli, 1976  
*Robertsonites*  
*tuberculatus* (Sars, 1866)  
*incertae sedis*  
*Cistacythereis*  
*caelatura* Uliczny, 1969  
*Parahemingwayella*  
*tetrapteron* (Bonaduce, Ciampo & Masoli, 1976)  
*Parvocythere*  
*hartmanni* Marinov, 1962  
*Psammocythere*  
*remanei* Klie, 1936  
*Rabilimis*  
*mirabilis* (Brady, 1868)  
*septentrionalis* (Brady, 1866)  
*Typhlocythere*  
*ruggieri* Bonaduce, Ciampo & Masoli, 1976  
*Verrucocythere*  
*bulbuspinata* (Uliczny, 1969)  
**Family Xestoleberididae**  
*Aspidoconcha*  
*humilis* (Brady & Norman, 1889)  
*limnoricae* de Vos, 1953  
*Microxestoleberis*  
*nana* G.W. Mueller, 1894  
*rostrata* Klie, 1936  
*xenomis* (Barbieto-Gonzalez, 1971)  
*Xestoleberis*  
*aurantia* (Baird, 1838)  
*communis* G.W. Mueller, 1894  
*costata* Hartmann, 1953  
*decipiens* G.W. Mueller, 1894  
*delamarei* Hartmann, 1953  
*depressa* Sars, 1866  
*fuscomaculata* G.W. Mueller, 1894  
*gigas* Rome, 1942  
*humilis* Klie, 1940  
*labiata* Brady & Robertson, 1874  
*margaritea* (Brady, 1866)  
*margaritopsis* Rome, 1942  
*nitida* (Liljeborg, 1853)  
*parva* G.W. Mueller, 1894  
*pellucida* G.W. Mueller, 1894  
*perrilla* Athersuch, 1976  
*plana* G.W. Mueller, 1894  
*rara* G.W. Mueller, 1894  
*rubens* Whittaker, 1978  
*ventricosa* G.W. Mueller, 1894

**Superfamily Macrocypridoidea****Family Macrocyprididae**

*Macrocypria*  
*sarsi* (G.W. Mueller, 1912)  
*Macrocyprina*  
*succinea* G.W. Mueller, 1894  
*Macrocypris*  
*minna* (Baird, 1850)  
*Macromckenziae*  
*ligustica* (Bonaduce, Masoli & Pugliese, 1977)

**Superfamily Pontocypridoidea****Family Pontocyprididae**

*Argilloecia* (*Robustoargilloecia*)  
*acuminata* (G.W. Mueller, 1894)  
*Argilloecia*  
*bulbifera* (G.W. Mueller, 1894)  
*caudata* (G.W. Mueller, 1894)  
*conoidea* Sars, 1923  
*cylindrica* Sars, 1865  
*levis* (G.W. Mueller, 1894)  
*micra* Bonaduce, Ciampo & Masoli, 1976  
*minor* (G.W. Mueller, 1894)  
*propinqua* Brady, 1904  
*robusta* Bonaduce, Ciampo & Masoli, 1976  
*Pontocypria*  
*spinosa* (G.W. Mueller, 1894)  
*Pontocypris*  
*acupunctata* Brady, 1868  
*acuta* Bonaduce, Ciampo & Masoli, 1976  
*discrepans* (G.W. Mueller, 1894)  
*frequens* (G.W. Mueller, 1894)  
*hispidia* (Sars, 1866)  
*intermedia* G.W. Mueller, 1894  
*levis* G.W. Mueller, 1894  
*mediterranea* G.W. Mueller, 1894  
*monstrousa* G.W. Mueller, 1894  
*mytiloides* (Norman, 1862)  
*obtusa* (G.W. Mueller, 1894)  
*pallida* (G.W. Mueller, 1894)  
*rara* (G.W. Mueller, 1894)  
*subfusca* G.W. Mueller, 1894  
*Propontocypris*  
*acuminata* (G.W. Mueller, 1894)  
*declivis* (G.W. Mueller, 1894)  
*dispar* (G.W. Mueller, 1894)  
*intermedia* (Brady, 1868)  
*pellucida* (G.W. Mueller, 1894)  
*pirifera* (G.W. Mueller, 1894)  
*serrata* (G.W. Mueller, 1894)  
*setosa* (G.W. Mueller, 1894)  
*subfusca* (G.W. Mueller, 1894)  
*succinea* (G.W. Mueller, 1894)  
*trigonella* (Sars, 1866)

**Pentastomida**

Compiled by Jacob van der Land

Only a few parasites of sea birds are known.

**References**

Osche, G., 1963. Die Systematische Stellung u. Phylogenie der Pentastomida: Embryologische u. Vergleichend Anatomische Studien an Reighardia sterna. *Z. Morph. ök. ser. Tier.* 52: 487-596.

**Class Pentastomida****Order Cephalobaenida****Family Reighardiidae**

*Reighardia*  
*sterna* (Diesing, 1864)  
*lomviae* Dyck, 1975

A M  
A