

<i>rubra</i> (Ellis, 1764)	M	<i>biscayensis</i> (Fischer, 1874)	A
Pteroeides		<i>verrucosa</i> (Pennant, 1777)	A M
<i>lusitanicum</i> Broch, 1910	A	<i>Bunodosoma</i>	
<i>morbusus</i> Tixier-Durivault, 1961	A	<i>biscayensis</i> (Fischer, 1874)	A M
<i>spinosum</i> (Ellis, 1764)	M	<i>rubripunctata</i> (Grube, 1840)	M
<i>tenerum</i> Kölliker, 1869		Condylectis	
Family Protoptilidae		<i>aurantiaca</i> (Delle Chiaje, 1825)	M
<i>Distichoptilum</i>		Cribrinopsis	
<i>gracile</i> Verrill, 1882	A M	<i>crassa</i> (Andrès, 1880)	M
<i>Protoptilum</i>		= <i>Anthopleura crassa</i> (Andrès, 1880)	
<i>carpenteri</i> Kölliker, 1872	A	<i>similis</i> Carlgren, 1921	A
<i>denticulatum</i> Jungersen, 1904	A	Epiactis	
<i>smitti</i> Kölliker, 1872	A	<i>artica</i> (Verrill, 1868)	A
<i>thomsoni</i> Kölliker, 1872	A	<i>fecunda</i> (Verrill, 1899)	A
Family Umbellulidae		<i>incerta</i> Carlgren, 1921	A
<i>Umbellula</i>		<i>marsupialis</i> Carlgren, 1901	A
<i>encrinus</i> Linnaeus, 1758	A	Onubactis	
<i>huxleyi</i> Kölliker, 1880	A	<i>rocioid</i> Lopez, den Hartog & Garcia, 1995	A
<i>lindahli</i> Kölliker, 1875	A M	Paranemonia	
<i>monocephalus</i> Pasternak, 1964	A	<i>cinerea</i> (Contarini, 1844)	M
<i>thomsoni</i> Kölliker, 1874	A M	<i>vouliagmeniensis</i> Chintiroglou, Doumenc & England, 1987	M
Family Veretillidae		Urticina	
<i>Cavernularia</i>		<i>crassicornis</i> (Müller, 1776)	A
<i>elegans</i> (Herklots, 1858)	A	= <i>Tealia crassicornis</i>	
<i>pusilla</i> (Philippi, 1835)	A M	<i>eques</i> (Gosse, 1858)	A
<i>Veretillum</i>		= <i>Tealia lofotensis</i>	
<i>cynomorium</i> (Pallas, 1766)	A	<i>felina</i> (Linnaeus, 1767)	A
Family Virgulariidae		= <i>Tealia felina</i>	
<i>Stylatula</i>		Family Actinoscyphiidae	
<i>elegans</i> (Danielssen, 1860)	A	<i>Actinoscyphia</i>	
<i>Virgularia</i>		<i>aurelia</i> (Stephenson, 1918)	A
<i>glacialis</i> Kölliker, 1870	A	<i>saginata</i> (Verrill, 1882)	A
<i>mirabilis</i> (Müller, 1776)	A	Epiparactis	
<i>tuberculata</i> Marshall, 1883	A	<i>dubia</i> Carlgren, 1921	A
Hexacorallia		Family Actinostolidae	
Actiniaria		<i>Actinostola</i>	
Compiled by J. van der Land and J. H. den Hartog		<i>callosa</i> (Verrill, 1882)	A
The ERMS list was derived from a preliminary version of the URMO. With the exception of the zooanthids checked by J. Ryland, this list must still be considered preliminary. K. Riemann-Zürneck assisted in the compilation of this list.		= <i>A. abyssorum</i>	
Order Actiniaria		Anthosactis	
Family Actinernidae		<i>ingolfi</i> Carlgren, 1921	A
<i>Actinernus</i>		<i>janmayeni</i> Danielssen, 1890	A
<i>michaelsarsi</i> Carlgren, 1918	A	Glandulactis	
Family Actiniidae		<i>spetsbergensis</i> (Carlgren, 1893)	A
<i>Actinia</i>		Paranthus	
<i>cari</i> Delle Chiaje, 1825	M	<i>rugosus</i> Andrès, 1880	M
<i>elongata</i> Delle Chiaje, 1825	M	Parasicyonis	
<i>equina</i> (Linnaeus, 1758)	A M	<i>ingolfi</i> Carlgren, 1942	A
<i>filiformis</i> Rapp, 1829	A	<i>sarsi</i> Carlgren, 1921	A
<i>fragacea</i> Tugwell, 1856	A	Pycnanthus	
<i>prasina</i> Gosse, 1860	A	<i>densus</i> Carlgren, 1921	A
<i>striata</i> (Rizzi, 1967)	M	<i>laevis</i> Carlgren, 1921	A
<i>Anemonia</i>		Sicyonis	
<i>viridis</i> (Forskål, 1775)	A M	<i>biotrans</i> Riemann-Zürneck, 1991	A
<i>Anthopleura</i>		<i>gossei</i> (Stephenson, 1918)	A
<i>ballii</i> (Cocks, 1849)	A M	<i>hemisphaerica</i> Carlgren, 1934	A
<i>rubripunctata</i> (Grube, 1840)	M	<i>ingolfi</i> Carlgren, 1921	A
<i>thallia</i> (Gosse, 1854)	A M	<i>tuberculata</i> Carlgren, 1921	A
<i>Aulactinia</i>		<i>variabilis</i> Carlgren, 1921	A
<i>spetsbergensis</i> (Carlgren, 1921)	A	Stomphia	
<i>stella</i> (Verrill, 1864)	A	<i>coccinea</i> (Müller, 1776)	A
<i>verrucosa</i> (Pennant, 1777)	A M	<i>polaris</i> (Danielssen, 1890)	A
<i>Bolocera</i>		Tealidium	
<i>maxima</i> Carlgren, 1921	A	<i>jungerseni</i> Carlgren, 1921	A
<i>tuediae</i> (Johnston, 1832)	A	Family Aiptasiidae	
<i>Bunodactis</i>		<i>Aiptasia</i>	
		<i>diaphana</i> (Rapp, 1829)	M
		<i>mutabilis</i> (Gravenhorst, 1831)	A M
		= <i>A. couchii</i>	
		<i>Aiptasiogeton</i>	
		<i>pellucidus</i> (Hollard, 1848)	A M
		Family Aliciidae	
		<i>Alicia</i>	
		<i>mirabilis</i> Johnson, 1861	A M

= <i>A. costae</i>			
Family Andresiidae			
<i>Andresia</i>			
<i>partenopea</i> (Andrès, 1884)	M		
Family Andvakiidae			
<i>Andvakia</i>			
<i>mirabilis</i> Danielssen, 1890	A		
<i>parva</i> Carlgren, 1940	A		
Family Aurelianiidae			
<i>Aureliana</i>			
<i>heterocera</i> (Thompson, 1853)	A M		
Family Bathypheiliidae			
<i>Bathypheilia</i>			
<i>margaritacea</i> (Danielssen, 1890)	A		
<i>Daontesia</i>			
<i>porcupina</i> Riemann-Zürneck, 1997	A		
<i>praelonga</i> (Carlgren, 1928)	A		
Family Boloceroiidae			
<i>Bunodeopsis</i>			
<i>strumosa</i> Andrès, 1880	M		
Family Condylanthidae			
<i>Segonzactis</i>			
<i>platypus</i> Riemann-Zürneck, 1979	A		
Family Diadumenidae			
<i>Diadumene</i>			
<i>cincta</i> Stephenson, 1925	A		
<i>Haliplanella</i>			
<i>luciae</i> (Verrill, 1899)	A M		
Family Edwardsiidae			
<i>Edwardsia</i>			
<i>allmanni</i> McIntosh, 1865	A		
<i>andresi</i> Danielssen, 1890	A		
<i>arctica</i> Carlgren, 1921	A		
<i>beautempsii</i> Quatrefages, 1842	A		
<i>carlgreni</i> Williams, 1981	A		
<i>claparedii</i> (Panceri, 1869)	A M		
<i>costata</i> Danielssen, 1890	A		
<i>danica</i> Carlgren, 1921	A		
<i>delapiae</i> Carlgren & Stephenson, 1928	A		
<i>finmarchica</i> Carlgren, 1921	A		
<i>fusca</i> Danielssen, 1890	A		
<i>islandica</i> Carlgren, 1921	A		
<i>ivelli</i> Manuel, 1975	A		
<i>longicornis</i> Carlgren, 1921	A		
<i>maroccana</i> Carlgren, 1931	A		
<i>norvegica</i> Carlgren, 1942	A		
<i>timida</i> Quatrefages, 1842	A		
= <i>E. callianthus</i>			
= <i>E. harassei</i>			
<i>timida</i> Quatrefages, 1842	A		
= <i>Edwardsiella dixonii</i>			
<i>tuberculata</i> Duben & Koren, 1847	A		
<i>vegae</i> Carlgren, 1921	A		
<i>vitrea</i> (Danielssen, 1890)	A		
<i>Fagesia</i>			
<i>carnea</i> (Gosse, 1856)	A M		
<i>janthina</i> (Andrès, 1880)	M		
<i>loveni</i> (Carlgren, 1892)	A M		
<i>Isoedwardsia</i>			
<i>nidarosiensis</i> Carlgren, 1942	A		
<i>Nematostella</i>			
<i>nathorstii</i> (Carlgren, 1921)	A		
<i>polaris</i> (Carlgren, 1921)	A		
<i>vectensis</i> Stephenson, 1935	A		
= <i>N. pellucida</i>			
<i>Paraedwardsia</i>			
<i>abyssorum</i> Carlgren, 1951	A		
<i>arenaria</i> Carlgren in Nordgaard, 1905	A		
<i>sarsi</i> (Duben & Koren, 1847)	A		
<i>Scolanthus</i>			
<i>callimorphus</i> Gosse, 1853	A M		
= <i>Isoedwardsia mediterranea</i>			
<i>ingolfi</i> Carlgren, 1921	A		
Family Gonactiniidae			
<i>Gonactinia</i>			
<i>prolifera</i> (Sars, 1835)		A M	
<i>Protanthea</i>			
<i>simplex</i> Carlgren, 1891		A	
Family Halcampidae			
<i>Cactosoma</i>			
<i>abyssorum</i> Danielssen, 1890		A	
<i>Halcampa</i>			
<i>arctica</i> Carlgren, 1893		A	
<i>chrysanthellum</i> (Peach in Johnston, 1847)		A	
<i>duodecimcirrata</i> (Sars, 1851)		A	
Family Halcampoididae			
<i>Acthelmis</i>			
<i>intestinalis</i> (Fabricius, 1780)		A	
<i>Halcampella</i>			
<i>endromitata</i> (Andrès, 1880)		M	
<i>Halcampoides</i>			
<i>abyssorum</i> Danielssen, 1890		A M	
<i>Siphonactinopsis</i>			
<i>laevis</i> Carlgren, 1921		A	
Family Halcuriidae			
<i>Carlgrenia</i>			
<i>desiderata</i> Stephenson, 1918		A	
Family Haliactiidae			
<i>Haliactis</i>			
<i>arctica</i> Carlgren, 1921		A	
Family Haloclavidae			
<i>Anemonactis</i>			
<i>mazeli</i> (Jourdan, 1880)		A M	
<i>Mesacmaea</i>			
<i>mitchelli</i> (Gosse, 1853)		A M	
<i>Peachia</i>			
<i>boekii</i> (Danielssen & Koren, 1856)		A	
<i>cylindrica</i> (Reid, 1848)		A M	
= <i>P. hastata</i> Gosse, 1855			
Family Hormathiidae			
<i>Actinauge</i>			
<i>abyssorum</i> (Gravier, 1918)		A	
<i>richardi</i> (Marion, 1882)		A M	
<i>Adamsia</i>			
<i>carciniopados</i> (Otto, 1823)		A M	
= <i>A. palliata</i>			
<i>Allantactis</i>			
<i>parasitica</i> Danielssen, 1890		A	
<i>Amphianthus</i>			
<i>bathybium</i> (Hertwig, 1882)		A	
<i>crassus</i> (Gravier, 1918)		A	
<i>dohrni</i> (von Koch, 1878)		A M	
<i>impeditus</i> (Gravier, 1918)		A	
<i>ingolfi</i> Carlgren, 1942		A	
<i>inornatus</i> (Gravier, 1918)		A	
<i>islandicus</i> Carlgren, 1942		A	
<i>margaritaceus</i> (Danielssen, 1890)		A	
<i>michaelsarsi</i> Carlgren, 1934		A	
<i>mopsiae</i> (Danielssen, 1890)		A	
<i>norvegicus</i> Carlgren, 1942		A	
<i>verruculatus</i> Carlgren, 1942		A	
<i>Calliactis</i>			
<i>parasitica</i> (Couch, 1838)		A M	
<i>Cataphellia</i>			
<i>brodricii</i> (Gosse, 1859)		A	
<i>Chondrophellia</i>			
<i>coronata</i> (Verrill, 1883)		A	
<i>Hormathia</i>			
<i>alba</i> (Andrès, 1880)		A M	
= <i>H. mediterranea</i>			
<i>coronata</i> (Gosse, 1858)		A M	
<i>digitata</i> (O. F. Müller, 1776)			
<i>marioni</i> (Haddon, 1889)		A	
<i>nodosa</i> (Fabricius, 1780)		A	
<i>Monactis</i>			
<i>vestita</i> Gravier, 1918		A	

<i>Paracalliactis</i>		<i>laceratus</i> (Dalyell, 1848)	A
<i>azorica</i> Doumenc, 1975	A	<i>robustus</i> Carlgren, 1924	A
<i>mediterranea</i> Ross & Zamponi, 1982	M	<i>tubicolus</i> (Koren & Danielssen, 1877)	A
<i>michaelsarsi</i> Carlgren, 1928	A	<i>undatus</i> (Müller, 1788)	A M
<i>stephensoni</i> Carlgren, 1928	A	<i>verrilli</i> Carlgren, 1942	A
<i>Paractinia</i>		<i>viduatus</i> (Müller, 1776)	A
<i>striata</i> (Risso, 1826)	M		
= <i>Parastephanauge paxi</i>			
<i>Paraphellia</i>		Order Ceriantharia	
<i>expansa</i> (Haddon, 1886)	A	Family Arachnacthidae	
<i>Phelliactis</i>		<i>Arachnanthus</i>	
<i>hertwigi</i> Simon, 1892	A	<i>nocturnus</i> den Hartog, 1977	A
= <i>P. incerta</i>		<i>sarsi</i> Carlgren, 1912	A
<i>michaelsarsi</i> (Carlgren, 1934)	A	<i>Isarachnanthus</i>	
<i>pulchra</i> (Stephenson, 1918)	A	<i>cruzi</i> Brito, 1986	A
<i>robusta</i> Carlgren, 1928	A	<i>Arachnactis</i>	
<i>spinosa</i> (Carlgren, 1928)	A	<i>albida</i> Sars, 1846	A M
<i>Stephanauge</i>		Family Botrucnidiferidae	
<i>acanellae</i> (Verrill, 1883)	A	<i>Botrucnidifer</i>	
Family Iosactiidae		<i>norvegicus</i> Carlgren, 1912	A
<i>Iosactis</i>		Family Cerianthidae	
<i>vagabunda</i> Riemann-Zürneck, 1997	A	<i>Cerianthus</i>	
Family Isophellidae		<i>lloydi</i> Gosse, 1859	A
<i>Euphellia</i>		<i>membranacea</i> (Spallanzani, 1784)	A
<i>cinclidifera</i> Pax, 1908	A	<i>vogti</i> Danielssen, 1890	A
<i>Telmatactis</i>		<i>Pachycerianthus</i>	
<i>cricoides</i> (Duchassaing, 1850)	A M	<i>multiplicatus</i> Carlgren, 1912	A
<i>forsskali</i> (Ehrenberg, 1834)	A M	Order Corallimorpharia	
= <i>T. limicola</i>		Family Corallimorphidae	
<i>solidago</i> (Duchassaing & Michelotti, 1860)	A	<i>Corallimorphus</i>	
Family Kadosactidae		<i>atlanticus</i> Carlgren, 1934	A
<i>Kadosactis</i>		<i>ingens</i> Gravier, 1918	A
<i>abyssicola</i> (Danielssen, 1877)	A	<i>Corynactis</i>	
<i>commensalis</i> (Gravier, 1918)	A	<i>viridis</i> Allman, 1846	A M
<i>rosea</i> Danielssen, 1890	A	<i>Pseudocorynactis</i>	
<i>spitsbergensis</i> (Danielssen, 1890)	A	<i>caribbeorum</i> Den Hartog, 1980	A
<i>sulcata</i> Carlgren, 1934	A	Family Sideractiidae	
Family Limnactiniidae		<i>Nectactis</i>	
<i>Limnactinia</i>		<i>singularis</i> Gravier, 1918	A
<i>laevis</i> Carlgren, 1921	A	<i>Sideractis</i>	
Family Liponematidae		<i>glacialis</i> Danielssen, 1890	A M
<i>Liponema</i>		Order Ptychodactiaria	
<i>multicornis</i> (Verrill, 1879)	A	Family Ptychodactiidae	
Family Metridiidae		<i>Ptychodactis</i>	
<i>Metridium</i>		<i>patula</i> Appellöf, 1893	
<i>senile</i> (Linnaeus, 1767)	A	Order Zoanthidea	
Family Octineonidae		Family Epizoanthidae	
<i>Octineon</i>		<i>Epizoanthus</i>	
<i>lindahli</i> (Carpenter, 1871)	A	<i>abyssorum</i> Verrill, 1885	A
<i>suecicurn</i> Carlgren, 1940	A	<i>arenaceus</i> delle Chiaje, 1823	M
Family Phymanthidae		<i>beerenislandicus</i> Carlgren, 1913	A
<i>Phymanthus</i>		<i>couchii</i> (Johnston in Couch, 1844)	A
<i>pulcher</i> (Andrés, 1884)	M	<i>danielsseni</i> Carlgren, 1913	A
Family Sagartiidae		<i>erdmanni</i> (Danielssen, 1890)	A
<i>Actinothoe</i>		<i>frenzeli</i> Pax, 1937	M
<i>sphyrodeta</i> (Gosse, 1858)	A	<i>glacialis</i> Danielssen, 1890	A
<i>Cereus</i>		<i>koreni</i> Carlgren, 1913	A
<i>pedunculatus</i> (Pennant, 1777)	A M	<i>lindahli</i> Carlgren, 1913	A
<i>Phellia</i>		<i>macintoshi</i> Haddon & Shackleton, 1891	A
<i>elongata</i> (Delle Chiaje, 1825)	A M	<i>mediterraneus</i> Carlgren, 1935	M
<i>gausapata</i> Gosse, 1858	A	<i>norvegicus</i> (Koren & Danielssen, 1877)	A
<i>vestita</i> (Johnson, 1861)	A	<i>paguricola</i> (Roule, 1900)	M
<i>Sagartia</i>		<i>paguriphilus</i> Verrill, 1883	A
<i>elegans</i> (Dalyell, 1848)	A M	<i>papillosus</i> (Johnston, 1842)	A
<i>luciae</i> Verrill, 1898	A M	= <i>E. americanus</i>	
<i>ornata</i> Holdsworth, 1858	A	<i>paxii</i> Abel, 1955	M
<i>troglydites</i> (Price in Johnston, 1847)	A M	<i>roseus</i> Danielssen, 1890	A
<i>Sagartiogeton</i>		<i>steueri</i> Pax, 1937	M
<i>abyssorum</i> Carlgren, 1942	A	<i>tergestinus</i> Pax, 1937	M
<i>entellae</i> Schmidt, 1972	M	<i>univittatus</i> (Lorenz, 1860)	M
<i>flexibilis</i> (Danielssen, 1890)	A	<i>vagus</i> Herberts, 1972	M
<i>ingolfi</i> Carlgren, 1928	A	<i>vatovai</i> Pax & Lochter, 1935	M
		Family Parazoanthidae	

<i>Gerardia</i>			
<i>savalia</i> (Bertholoni, 1819)	A	M	
<i>Isozoanthus</i>			
<i>arborensens</i> (Danielssen, 1890)	A		
<i>bulbosus</i> Carlgren, 1913	A		
<i>dubius</i> Carlgren, 1913	A		
<i>ingolfi</i> Carlgren, 1913	A		
<i>islandicus</i> Carlgren, 1913	A		
<i>magninsulosus</i> Carlgren, 1913	A		
<i>multinsulosus</i> Carlgren, 1913	A		
<i>sulcatus</i> (Gosse, 1859)	A		
<i>Parazoanthus</i>			
<i>anguicomus</i> (Norman, 1868)	A		
<i>axinellae</i> (Schmidt, 1862)	A	M	
Family Zoanthidae			
<i>Isaurus</i>			
<i>tuberculatus</i> Gray, 1828	A	M	
<i>Protopalpythoa</i>			
<i>canariensis</i> (Haddon & Duerden, 1896)	A		
Antipatharia			
Compiled by Jacob van der Land and D. M. Opresko			
The ERMS list was derived from URMO which was edited by D. M. Opresko.			
Order Antipatharia			
Family Antipathidae			
<i>Antipathes</i>			
<i>dichotoma</i> Pallas, 1766	A	M	
<i>erinaceus</i> (Roule, 1905)	A		
<i>fragilis</i> Gravier, 1918	A		
<i>furcata</i> Gray, 1857	A		
<i>mediterranea</i> Brook, 1889		M	
<i>punctata</i> (Roule, 1905)	A		
<i>spinescens</i> Gray, 1857	A		
<i>subpinnata</i> Ellis & Solander, 1786	A	M	
<i>wollastoni</i> Gray, 1857	A		
<i>Aphanipathes</i>			
<i>abietina</i> (Pourtalès, 1874)	A		
<i>Bathypathes</i>			
<i>alternata</i> Brook, 1889	A	M	
<i>arctica</i> (Lütken, 1871)	A		
<i>heterorhodzos</i> (Cooper, 1909)	A	M	
<i>lyra</i> Brook, 1889	A	M	
<i>patula</i> Brook, 1889	A	M	
<i>tenuis</i> Brook, 1889	A	M	
<i>Leiopathes</i>			
<i>expansa</i> Johnson, 1899	A		
<i>glaberrima</i> (Esper, 1788)	A	M	
= <i>Antipathes glaberrima</i>			
<i>grimaldi</i> Roule, 1902	A		
<i>Parantipathes</i>			
<i>larix</i> (Esper, 1788)	A	M	
<i>Schizopathes</i>			
<i>crassa</i> Brook, 1889	A	M	
<i>Stichopathes</i>			
<i>abyssicola</i> Roule, 1902	A		
<i>dissimilis</i> Roule, 1902	A		
<i>euoplos</i> Schultze, 1903	A		
<i>flagellum</i> Roule, 1902	A		
<i>gracilis</i> Gray, 1857	A	M	
<i>richardi</i> Roule, 1902	A		
<i>robusta</i> Gravier, 1918	A		
Scleractinia			
Compiled by S. D. Cairns, B. W. Hoeksema and Jacob van der Land			
The ERMS list was derived from URMO which was recently published (Cairns <i>et al.</i> 1999). The list was checked and amended by H. Zibrowius.			
References			
Cairns, S.D., B.W. Hoeksema & J. van der Land, 1999. List of extant stony corals. - <i>Atoll Research Bull.</i> : 459: 13-46.			
Order Scleractinia			
Family Caryophylliidae			
<i>Anomocora</i>			
<i>fecunda</i> (Pourtalès, 1871)			A
<i>Asterosmilia</i>			
<i>prolifera</i> (Pourtalès, 1871)			A
<i>Aulocyathus</i>			
<i>atlanticus</i> Zibrowius, 1980			A
<i>Caryophyllia</i>			
<i>abyssorum</i> Duncan, 1873			A
<i>alberti</i> Zibrowius, 1980			A
<i>ambrosia</i> Alcock, 1898			A
<i>atlantica</i> (Duncan, 1873)			A
<i>calveri</i> Duncan, 1873			A
<i>cyathus</i> (Ellis & Solander, 1786)			A
<i>diomedea</i> Marenzeller, 1904			A
<i>foresti</i> Zibrowius, 1980			A
<i>inornata</i> (Duncan, 1878)			A
<i>sarsiae</i> Zibrowius, 1974			A
<i>seguenzae</i> Duncan, 1873			A
<i>smithii</i> Stokes & Broderip, 1828			A
<i>Ceratotrochus</i>			
<i>magnaghii</i> Cecchini, 1914			A
<i>Cladocora</i>			
<i>caespitosa</i> (Linnaeus, 1758)			A
<i>debilis</i> Milne Edwards & Haime, 1849			A
<i>Coenocyathus</i>			
<i>anthophyllites</i> Milne Edwards & Haime, 1848			A
<i>cylindricus</i> Milne Edwards & Haime, 1848			A
<i>Coenosmilia</i>			
<i>arbuscula</i> Pourtalès, 1874			A
<i>Concentrotheca</i>			
<i>laevigata</i> (Pourtalès, 1871)			A
<i>Dasmosmilia</i>			
<i>lymani</i> (Pourtalès, 1871)			A
<i>variegata</i> (Pourtalès, 1871)			A
<i>Deltocyathus</i>			
<i>italicus</i> (Michelotti, 1838)			A
<i>eccentricus</i> Cairns, 1979			A
<i>moseleyi</i> Cairns, 1979			A
<i>Desmophyllum</i>			
<i>dianthus</i> (Esper, 1794)			A
<i>Hoplangia</i>			
<i>durotrix</i> Gosse, 1860			A
<i>Lophelia</i>			
<i>pertusa</i> (Linnaeus, 1758)			A
<i>Paracyathus</i>			
<i>arcuatus</i> Lindsjö, 1877			A
<i>pulchellus</i> (Philippi, 1842)			A
<i>Phyllangia</i>			
<i>mouchezii</i> (Lacaze-Duthiers, 1897)			A
<i>Polycyathus</i>			
<i>muelleriae</i> (Abel, 1959)			A
<i>Pourtalosmilia</i>			
<i>anthophyllites</i> (Ellis & Solander, 1786)			A
<i>Premocyathus</i>			
<i>cornuiformis</i> (Pourtalès, 1868)			A
<i>Solenosmilia</i>			
<i>variabilis</i> Duncan, 1873			A
<i>Stephanocyathus</i>			
<i>campaniformis</i> (Marenzeller, 1904)			A
<i>crassus</i> (Jourdan, 1895)			A
<i>moseleyanus</i> (Sclater, 1886)			A
<i>nobilis</i> (Moseley, 1873)			A
<i>Tethocyathus</i>			
<i>variabilis</i> Cairns, 1979			A
<i>Thalamophyllia</i>			
<i>gasti</i> (Döderlein, 1913)			A
<i>Trochocyathus</i>			
<i>spinosocostatus</i> Zibrowius, 1980			A
<i>mediterraneus</i> Zibrowius, 1980			M