

/This paper not to be cited without prior reference to the author/DOSAGE DES NITRATES & DES NITRITES.CROISIERE P 3 - 1973.
(Prof. I.Elskens et Mme D. Janssen.-V.U.B.)

IDENTIFICATION

	NO_2^- ($\mu\text{g N}/\ell$)	NO_3^- ($\mu\text{g N}/\ell$)
<u>Echantillons non filtrés et non dialysés.</u>		
MD6.040673.1330.02	28,5	157
MD6.050673.1015.02	29,3	186
MD6.070673.0600.02	19,7	147
MD6.070673.0800.02	18,3	135
MD6.070673.1000.02	19,2	145
MD6.070673.1200.02	19,2	150
MD6.070673.1400.02	16,1	133
MD6.070673.1600.02	19,2	127
MD6.070673.1800.02	21,0	134
MD6.070673.2000.02	19,2	96
MD6.070673.2200.02	21,4	144
MD6.080673.1000.02	19,7	113
M11.250673.1710.02	9,4	< 1
M14.120673.1600.02	3,5	2,5
M14.130673.0605.02	4,7	1,4
M14.130673.0805.02	6,4	< 1
M14.130673.1005.02	15,3	1
M14.130673.1205.02	15,0	< 1
M14.130673.1405.02	6,8	< 1
M14.130673.1605.02	2,8	< 1
M14.130673.1805.02	8,0	< 1
M14.130673.2005.02	2,8	< 1
M14.130673.2205.02	12,5	< 1
M14.140673.1015.02	10,8	< 1
M14.180673.1500.02	9,1	1,8
M14.190673.1220.02	3,2	< 1
M14.200673.1200.02	8,4	1,2
M14.210673.1300.02	2,3	< 1
M14.220673.0900.02	2,2	< 1
M16.260673.1000.02	10,3	< 1
M16.270673.1000.02	8,9	< 1
M16.280673.1200.02	5,1	< 1