

Autonomous reef monitoring structures in the Southern Ocean, a tool for the study of the understudied small fauna

Gallut Cyril¹, Jérôme Fournier², Nadia Ameziane³, Erwan Amice⁴, Laurent Chauvaud⁴, Eduardo da Forno⁵, Olivier Domenjoz⁶, Elsa Freschet⁷, Philip Jane⁵, Anouchka Krygelmans⁸, Loïc N. Michel⁹, Antoine Schaad⁶, Julien Thébault⁴, Stefano Schiaparelli¹⁰, Marc Eléaume¹¹ and Agnes Dettai¹¹

¹ Institut de Systématique, Évolution, Biodiversité (ISYEB, UMR 7205) - Sorbonne Universités, MNHN, CNRS, UPMC, EPHE. UPMC Université de Paris 06, Station de Biologie Marine, Quai de la Croix, 29900 Concarneau, France

E-mail: cyril.gallut@mnhn.fr

² Biologie des Organismes et Écosystèmes Aquatiques (BOREA, UMR 7208) — Sorbonne Universités, MNHN, CNRS, UPMC, IRD, UCN, UA. CNRS, Station de biologie marine, quai de la croix 29900 Concarneau, France

³ Institut de Systématique, Évolution, Biodiversité (ISYEB, UMR 7205) — Sorbonne Universités, MNHN, CNRS, UPMC, EPHE. Muséum national d'Histoire naturelle, Station de biologie marine, quai de la croix 29900 Concarneau, France

⁴ Laboratoire des sciences de l'Environnement MARin (LEMAR, UMR 6539) — CNRS, UBO, IRD, Ifremer. Institut Universitaire Européen de la Mer, Place Nicolas Copernic, 29280 Plouzané, France

⁵ Aquarium de Paris - Cinéaqua. Avenue Albert de Mun 5, 75016 Paris, France

⁶ Sub, travaux immergés construction métallique Case Postale 2843 CH -1211 Genève 2

⁷ Volontaire service civique, Institut polaire français Paul Émile Victor

⁸ Direction des Collections - Invertébrés marins. Muséum national d'Histoire naturelle, 57 rue Cuvier, 75231 Paris cedex 05, France

⁹ Laboratory of Oceanology, University of Liège B6C, Allée du 6 Août 15, Quartier Agora, Sart-Tilman, 4000 Liège, Belgium

¹⁰ DISTAV, Università di Genova. C.so Europa 26, I-16132, Genova, Italy

¹¹ Institut de Systématique, Évolution, Biodiversité (ISYEB, UMR 7205) — Sorbonne Universités, MNHN, CNRS, UPMC, EPHE. Muséum national d'Histoire naturelle, 57 rue Cuvier, 75231 Paris cedex 05, France

Autonomous Reef Monitoring Structures are standardized artificial largely used in shallow, tropical marine locations to assess the cryptofauna (Knowlton et al. 2010, Plaisance et al. 2011, Knowlton et al. 2015). These multilayer type I PVC structures offer a succession of closed and open layers for the small and very small fauna and flora to colonize. They are typically left attached underwater for one year in these warmer environments before recovery and analysis through classical taxonomy and metabarcoding approaches.

We present here the first results for ARMS in the Southern Ocean, close to the Dumont d'Urville french Antarctic station (REVOLTA II program, IPEV). The ARMS were immersed in 2014, and were either left at the locations for two years (recovery in January 2016) or three years (recovery in January 2017).

The plates were photographed, and specimens were sampled both one by one and in a mix for metabarcoding. Three molecular markers were used (mitochondrial genes COI and 16S, and nuclear 18S), as well as multiple wide-ranging primers pairs for each, to maximize the amplification and identification of a wide range of taxonomic groups.

The plates colonized for two years were rather sparse, maybe because of unusual ice conditions at the location, but the plates colonized for three years were richer. Sequence analysis of the three markers yielded generally congruent results, although some groups were not recovered with all. Expectedly, 18S was the less precise of the markers but corroborates attribution to higher taxonomic ranks. Bryozoans and tube worms dominated the plates, with several having close but no identical sequences in the reference databases (Barcode of Life database and GenBank).

Our ARMS were also included in outreach projects to school classes. These structures are a precious tool for the study of the understudied small fixed and sessile organisms in the shallow areas of Southern Ocean, especially if deployed as a network by a collaboration of research projects to cover a wider variety of spatial scales. They provide information on colonization and growth, and a simple but powerful monitoring tool for this changing environment.

References

- Knowlton N., Brainard R. E., Fisher, R., Moews M., Plaisance, L., and M.J. Caley. 2010. Coral Reef Biodiversity. In *Life in the World's Oceans: Diversity, Distribution, and Abundance* (Ed. A. D. McIntyre): 65-77 Blackwell Publishing Ltd. doi:10.1002/9781444325508.ch4
- Leray, M. and N. Knowlton, 2015. DNA barcoding and metabarcoding of standardized samples reveal patterns of marine benthic diversity, *Proceedings of the National Academy of Sciences*, 112(7): 2076– 2081.
- Plaisance, L., Brainard R. E., Caley M. J. and N. Knowlton, 2011. Using DNA Barcoding and Standardized Sampling to Compare Geographic and Habitat Differentiation of Crustaceans: A Hawaiian Islands Example. *Diversity* 4: 581-591. doi:10.3390/d3040581